

Permit #: <sup>M</sup>035/002 Addendum  
Project Name: Bingham

## Drill Hole Abandonment Report for Bond Release

Drill Hole Number (corresponding to permit map): L1-03

Drill Hole Location (UTM's): Please include Datum and GPS unit used 407022 E 4486020 N NAD 27

Date of Abandonment: Feb. 21, 2010

Drill Hole Abandonment Details: (Please include a description of drill hole completion (depth of hole, etc.), any problems encountered, amount of casing removed, type of abandonment completed, and any other pertinent information)

Hole T.D. at 5930'  
Lost original drill hole when rods broke, wedged off for new hole at 3102' and  
continued to 5930'.

Depth (feet)		Abandonment Material Details		
From	To	Abandonment Material	Quantity (e.g., cubic yards, #'s)	Grout Weight (lbs/gal, #bag mix, gal/sack)
0	30	Cement	3 bags	15 gal water / 50 lb bag
30	5420	Smooth Grout	194 bags	15 gal water / 50 lb bag

### **Complete this portion if Water Encountered**

Drill Hole Number (Corresponding to permit map)	Depth to water Strata	Name of Formation	Rate of water flow (GPM)	Estimated water quality

A Professional Registered Geologist in the State of Utah or a Certified Professional Geologist with the AIPG or an officer of the company registered to do business in the State of Utah must sign this form.

I certify that the reported information, statements, and/or documentation on this form are true and correct to the best of my knowledge and belief.

Name ERIK BEST, OPERATING OFFICER

PRG License No. \_\_\_\_\_

Signature ERIK BEST

Date 22 APRIL 2010

O:\FORMS\reports\Drill Hole Abandonment Report.doc

Prepared by Duane Olson Duane Olson

**RECEIVED**  
**APR 22 2010**  
**DIV. OF OIL, GAS & MINING**

Permit #:<sup>M</sup> U/035/002 Addendum  
Project Name: Bingham

## Drill Hole Abandonment Report for Bond Release

Drill Hole Number (corresponding to permit map): L1-04

Drill Hole Location (UTM's): Please include Datum and GPS unit used 406946 4486806 NAD27

Date of Abandonment: Feb. 12, 2010

Drill Hole Abandonment Details: (Please include a description of drill hole completion (depth of hole, etc.), any problems encountered, amount of casing removed, type of abandonment completed, and any other pertinent information)

Hole TD at 5239', NQ at bottom.  
2170' of HQ rods left in hole.  
Hole cased at 970' during abandonment.

Depth (feet)		Abandonment Material Details		
From	To	Abandonment Material	Quantity (e.g., cubic yards, #s)	Grout Weight (lbs/gal, #bag mix, gal/sack)
0	30	Cement	5 bags	15 gal water / 50 lb bag
30	970	Smooth Grout	30 bags	15 gal water / 50 lb bag

### Complete this portion if Water Encountered

Drill Hole Number (Corresponding to permit map)	Depth to water Strata	Name of Formation	Rate of water flow (GPM)	Estimated water quality

A Professional Registered Geologist in the State of Utah or a Certified Professional Geologist with the AIPG or an officer of the company registered to do business in the State of Utah must sign this form.

I certify that the reported information, statements, and/or documentation on this form are true and correct to the best of my knowledge and belief.

Name ERIK REST, OPERATING OFFICER

PRG License No. \_\_\_\_\_

Signature Erik Rest

Date 22 APRIL 2010

O:\FORMS\reports\Drill Hole Abandonment Report.doc

Prepared by Duane Olson Duane Olson



Permit # <sup>m</sup> ~~E~~/035/002 Addendum  
Project Name: Bingham

## Drill Hole Abandonment Report for Bond Release

Drill Hole Number (corresponding to permit map): L1-06

Drill Hole Location (UTM's): Please include Datum and GPS unit used 407404 4486987 NAD27

Date of Abandonment: March 31, 2010

Drill Hole Abandonment Details: (Please include a description of drill hole completion (depth of hole, etc.), any problems encountered, amount of casing removed, type of abandonment completed, and any other pertinent information)

Hole T.D. @ 4218', NQ at bottom.  
124' of HQ rods left in hole, stuck bit. Rods @ 3028.2 - 3152.2'

Depth (feet)		Abandonment Material Details		
From	To	Abandonment Material	Quantity (e.g., cubic yards, #'s)	Grout Weight (lbs/gal, #bag mix, gal/sack)
0	20	Cement	4 bags	15 gal water / 50 lb bag
20	4218	Smooth Grout	238 bags.	15 gal water / 50 lb bag

### Complete this portion if Water Encountered

Drill Hole Number (Corresponding to permit map)	Depth to water Strata	Name of Formation	Rate of water flow (GPM)	Estimated water quality

A Professional Registered Geologist in the State of Utah or a Certified Professional Geologist with the AIPG or an officer of the company registered to do business in the State of Utah must sign this form.

I certify that the reported information, statements, and/or documentation on this form are true and correct to the best of my knowledge and belief.

Name ERIK BEST, OPERATING OFFICER

PRG License No. \_\_\_\_\_

Signature Erik Best

Date 22 APRIL 2010

O:\FORMS\reports\Drill Hole Abandonment Report.doc

Prepared by Duane Olson Duane Olson